WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

| (51) International Patent Classification 6: | | (11) International Publication Number: | WO 98/08499 |
|--|------------|--|--|
| A61K 31/19, A23K 1/16, 1/18 | A1 | (43) International Publication Date: | 5 March 1998 (05.03.98 |
| (21) International Application Number: PCT/IB (22) International Filing Date: 19 August 1997 ((30) Priority Data: 9618008.8 27 August 1996 (27.08.96) (71) Applicant (for all designated States except US): DS [NL/NL]; Het Overloon 1, NL-6411 TE Heerlen ((72) Inventor; and (75) Inventor/Applicant (for US only): VAN OOYEN, J Adrianus, Cornelis [NL/NL]; A.M.A. van Langera NL-3381 LB Grissenburg (NL). (74) Agent: JACOBS, Monique, Sophie, Nicole; Octro DSM, P.O. Box 9, NL-6160 MA Geleen (NL). | GM N.'NL). | BY, CA, CH, CN, CU, CZ, DE GH, HU, IS, JP, KE, KG, KP, LT, LU, LV, MD, MG, MK, M PT, RO, RU, SD, SE, SG, SI, UA, UG, US, UZ, VN, YU, ZV LS, MW, SD, SZ, UG, ZW), Eu KG, KZ, MD, RU, TJ, TM), Eu DE, DK, ES, FI, FR, GB, GR, SE), OAPI patent (BF, BJ, CF, o MR, NE, SN, TD, TG). Published With international search report | C, DK, EE, ES, FI, GB, GE KR, KZ, LC, LK, LR, LS, N, MW, MX, NO, NZ, PL, SK, SL, TJ, TM, TR, TT, V, ARIPO patent (GH, KE, rasian patent (AM, AZ, BY, ropean patent (AT, BE, CH, IE, IT, LU, MC, NI., PT, CG, CI, CM, GA, GN, ML, |

(54) Title: BIOCIDAL COMPOSITIONS

(57) Abstract

This invention relates to a composition comprising benzoic acid or a derivative of benzoic acid capable of giving rise to free benzoic acid in vivo for use as a medicament for animals, wherein said acid/derivative functions as an antibiotic, promotes growth, decreases feed conversion and improves digestibility of amino acids administered in animal feeds. The benzoic acid or its derivative can be administered to the animal either in its feed composition or in its drinking water. It is particularly effective in pigs.

BEST AVAILABLE COPY

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

| AL | Albania | ES | Spain | LS | Lesotho | SI | Slovenia |
|----|--------------------------|-----|---------------------|-----|-----------------------|-----|--------------------------|
| AM | Armenia | Fi | Finland | LT | Lithuania | SK | Slovakia |
| AT | Austria | FR | France | LU | Luxembourg | SN | Senegal |
| ΑU | Australia | GA | Gabon | LV | Latvia | S7. | Swaziland |
| AZ | Azerbaijan | GB | United Kingdom | MC | Моласо | TD | Chad |
| BA | Bosnia and Herzegovina | GE | Georgia | MD | Republic of Moldova | TG | Togo |
| BB | Barbados | GH | Ghana | MG | Madagascar | ТJ | Tajikistan |
| BE | Belgium | GN | Guinea | MK | The former Yugoslav | TM | Turkmenistan |
| BF | Burkina Faso | GR | Greece | | Republic of Macedonia | TR | Turkey |
| BG | Bulgaria | HU | Hungary | ML | Mali | TT | Trinidad and Tobago |
| BJ | Benin | Œ | Ireland | MN | Mongolia | UA | Ukraine |
| BR | Brazil | 11. | Israel | MR | Mauritania | UG | Uganda |
| BY | Belarus | IS | Iceland | MW | Malawi | US | United States of America |
| CA | Canada | IT | Italy | MX | Mexico | UZ | Uzbekistan |
| CF | Central African Republic | JP | Japan | NE | Niger | VN | Viet Nam |
| CG | Congo | KE | Kenya | NL | Netherlands | YU | Yugoslavia |
| CH | Switzerland | KG | Kyrgyzstan | NO | Norway | zw | Zimbabwe |
| CI | Côte d'Ivoire | KP | Democratic People's | NZ | New Zealand | | |
| CM | Cameroon | | Republic of Korea | PL. | Poland | | |
| CN | China | KR | Republic of Korea | PT | Portugal | | |
| CU | Cuba | KZ | Kazakstan | RO | Romania | | |
| CZ | Czech Republic | LC | Saint Lucia | RU | Russian Federation | | |
| DE | Germany | LI | Liechtenstein | SD | Sudan | | |
| DK | Denmark | LK | Sri Lanka | SE | Sweden | | |
| EE | Estonia | LR | Liberia | SG | Singapore | | |

BIOCIDAL COMPOSITIONS

This invention relates to the use of compositions comprising benzoic acid for use as a medicament for animals, especially pigs, at the same time promoting growth thereof and improving the digestibility of amino acids fed to such animals.

It is known from our own prior published EP-A-0683985 that animal feed compositions comprising benzoic acid or salts thereof can be used to minimise the emission of odoriferous ammonia from organic wastes, especially animal excrements and manure.

5

10

15

20

25

It has now been found that in addition to the above function, benzoic acid can be used instead of relatively expensive antibiotics for such animals and furthermore, such acid/salts have the advantage of being able to promote growth, decrease feed conversion and improve digestibility of amino acids in animal feeds.

Accordingly, the present invention is a composition comprising benzoic acid or a derivative of benzoic acid capable of giving rise to free benzoic acid in vivo for use as a medicament for animals.

Benzoic acid or a derivative thereof capable of giving rise to benzoic acid in vivo may be administered to the animals as a component of a composition which is conventionally fed to animals. Thus, benzoic acid and derivatives thereof may be suitably administered to the animals as a component of the animal feed or in their drinking water. Specific examples of derivatives of benzoic acid which can give rise to benzoic acid in vivo include salts of benzoic acid such as eg the alkali metalalkaline earth metal- and ammonium benzoates.

The amount of benzoic acid or a derivative thereof administered to the animal is suitably such that it is sufficient to prevent/cure any infection in the animal in its capacity as a biocide. Such an amount is suitably in the range from 0.001 - 5% based on the total weight of each feed fed to the animal. This amount may

however, be higher if the function of benzoic acid or a derivative thereof is not only to act as a biocide but also to control the pH of the animal excreta fed on such a diet in order to suppress the emission of ammonia from the excreta. Such higher amounts are suitably limited to a maximum of about 10% based on the total animal feed composition. The benzone acid/salt functions inter alia as an antibiotic, promotes growth, decreases feed conversion and improves digestibility of amino acids administered in animal feeds.

5

10

A typical formulation for an animal feed composition is shown in Table 1 below in which all the amounts shown in % by weight were fed to pigs:

TABLE I

| Composition | Control II | Example 2 |
|----------------------------------|------------|-----------|
| Meat meal (58% Crude protein) | 3.20 | 3.20 |
| Molasses | 5.00 | 5.00 |
| Wheat | 5.90 | 5.90 |
| Soybean meal (45% Crude protein) | 15.1 | 15.1 |
| Tapioca (66% starch) | 36.5 | 35.5 |
| Wheat middlings | 15 | 15 |
| Animal fat | 3.3 | 3.3 |
| Limestone | 0.74 | 0.74 |
| Lysine hydrochloride (98%) | 0.06 | 0.06 |
| Vitamin premix | 0.5 | 0.5 |
| Trace minerals | 0.5 | 0.5 |
| Sunflower meal | 12.2 | 12.2 |
| Ammonium chloride | 2 | 2 |
| Ammonium benzoate | - | 1 |

Thus, benzoic acid or a derivative thereof may be used in combination with conventional ingredients present in an animal feed composition (diet) such as calcium carbonates, electrolytes such as eg ammonium chloride, proteins such as soya bean meal, wheat, starch, sunflower meal, corn, meat and bone meal, amino acids, animal fat, vitamins and trace minerals.

In such a composition, the ratio of the electrolyte to the benzoic acid or a derivative thereof is suitably in the range from 0.5 : 1 to 5 : 1 w/w, preferably from 1.5 : 1 to 3 : 1 w/w.

Benzoic acid or a derivative thereof is particularly effective as a medicament for animals such as poultry, pigs or cattle, especially pigs.

The present invention is further illustrated with reference to the following Examples:

EXAMPLE 1:

5

The following feed compositions (shown in Table 2 below) in which all the amounts shown in % by weight were fed to pigs.

TABLE 2

| Composition | Control I | Control II | Example 1 |
|----------------------------------|-----------|------------|-----------|
| Meat meal (58% Crude protein) | 3.20 | 3.20 | 3.20 |
| Molasses | 5.00 | 5.00 | 5.00 |
| Wheat | 5.90 | 5.90 | 5.90 |
| Soybean meal (45% Crude protein) | 15.1 | 15.1 | 15.1 |
| Tapioca (66% starch) | 38.5 | 36.5 | 35.5 |
| Wheat middlings | 15 | 15 | 15 |
| Animal fat | 3.3 | , 3.3 | 3.3 |
| Limestone | 0.74 | 0.74 | 0.74 |
| Lysine hydrochloride (98%) | 0.06 | 0.06 | 0.06 |
| Vitamin premix | 0.5 | 0.5 | 0.5 |
| Trace minerals | 0.5 | 0.5 | 0.5 |
| Sunflower meal | 12.2 | 12.2 | 12.2 |
| Ammonium chloride | - | 2 | 2 |
| Ammonium benzoate | <u>-</u> | • | 1 |

The pH of the urine of the pigs fed on these diets for two days was

monitored over various durations and found to be as follows (see Table 3 below):

TABLE 3

| Duration | Control I - pH | Control II - pH | Example 2 - pH |
|---------------|----------------|-----------------|----------------|
| After 0 Days* | 8.15 | 5.22 | 4.68 |
| After 7 days | 8.30 | 8.57 | 5.01 |
| After 10 days | 8.30 | 8.60 | 6.92 |

*First excretion by the pigs after the two day feeding stage.

From these results it is abundantly clear that the use of the additives of the present invention gives rise to excrements of highly acidic and stable pH values and consequently gives rise to little or no ammonia emissions.

EXAMPLE 2:

In a further comparative test, a number of pigs were fed with a standard feed as shown below in Table 4. This was repeated in Example 2 except that 0.7% wt. of the wheat middlings in the standard feed was replaced with benzoic acid. The results are shown in Table 5 below:

TABLE 4

| Composition | Weight % |
|-------------------------------|----------|
| Barley | 36.15 |
| Wheat | 30 |
| Peas | 3.5 |
| Rape seed oil meal | 3 |
| Soyabean oil meal (Brazilian) | 17 |
| Wheat middlings | 2.5* |
| Animal fat | 1.9 |
| Limestone | 0.61 |
| Lysine hydrochloride (98%) | 0.18 |
| Vitamin premix | 1 |
| Molasses | 3.4 |
| Methionine | 0.11 |
| Mono-calcium phosphate | 0.4 |
| Salt | 0.25 |

TABLE 5

| Variables | Example 2* | Comparative Test |
|----------------------------|------------|------------------|
| No. of pigs fed | 33 | 33 |
| Starting wt. per pig (Kg) | 23.8 | 23.0 |
| Final wt. per pig (Kg) | 40 | 40.3 |
| Growth per pig per day (g) | 577 | 588 |
| Feed conversion | 1.91 | 2.11 |
| Feed intake (Kg) | 1.104 | 1.239 |

*0.7% wt of the wheat middlings in the standard fee replaced by benzoic acid.

The above results show that pigs fed with a diet comprising benzoic acid have a much lower feed conversion (calculated as a ratio of feed intake over growth per pig per day) than those fed on a diet free of such benzoic acid. This signifies that the feed to the pigs is being used more efficiently.

Example 3:

5

10

15

The effect of the experimental feed containing benzoic acid on the performance of the pigs was compared with the control feed which did not contain any benzoic acid. A pig room with six pens was used for this example during three periods. In three pens pigs were fed with the control feed, and in the other three pens pigs were fed with the experimental feed. The feed compositions are shown in the Table 6 and the performance results are shown in Table 7 below. It can be seen from Table 7 that the pigs fed on the experimental feed had a significant lower feed conversion ratio. This is probably due to the lower pH in the intestine which perhaps improves digestibility.

20

TABLE 6

Raw materials (%) and the calculated chemical composition of the feed (g/kg)

5

| Components | Starting Feed | | Finishing | Feed |
|------------------------------|---------------|---------|--------------|---------|
| | Experimental | Control | Experimental | Control |
| Rye | 5.0 | 5.0 | 15.0 | 15.0 |
| Barley | 30.0 | 30.0 | 15.0 | 15.0 |
| Wheat | 27.8 | 27.2 | 25.0 | 24.2 |
| Peas | 3.5 | 3.5 | 14.5 | 13.0 |
| Maize gluten feed | | - | 7.1 | 6.5 |
| Rape seed middlings | 3.0 | 3.0 | 2.3 | 2.5 |
| Soya meal | 15.2 | 14.0 | 6.5 | 7.3 |
| Wheat middlings | 2.8 | 4.4 | 5.0 | 5.0 |
| Cane sugar molasses | 5.0 | 5.0 | 3.2 | 6.0 |
| Animal meal | 1.3 | 2.0 | - | |
| Animal fat | 1.90 | 1.83 | 2.20 | 2.21 |
| Mixture of methionine and | 0.55 | 0.56 | 0.35 | 0.36 |
| cystine (Mervit®) | | | | 0.00 |
| Threonine (Mervit®) | 0.26 | 0.29 | 0.29 | 0.30 |
| Liquid Lysine | 0.76 | 0.78 | 0.56 | 0.57 |
| Calprona P®* | 1.0 | 0.70 | 0.6 | - |
| Monocalcium phosphate | 0.33 | 0.22 | | 0.02 |
| Sodium chloride | 0.22 | 0.21 | 0.25 | 0.24 |
| Vitamin/Mineral pre-mix | 0.50 | 0.50 | • | |
| (Mervit®) for starting feed | | | | |
| Vitamin/Mineral pre-mix | - | - | 0.50 | 0.50 |
| (Mervit®) for finishing feed | | | | 0.00 |
| Phytase enzyme (Mervit®) | 0.20 | 0.24 | 0.21 | 0.20 |
| Limestone | - | 0.55 | - | 1.13 |
| Benzoic acid | 0.7 | - | 1.4 | |

^{*-}It is a blend of Ca (25%) and a mixture of carboxylic acids (75%) - the acids and their amounts in the mixture being formic (30%), acetic (30%) propionic (30%) and citric (10%).

()

Calculated Chemical Composition

| Components | Starting Feed | | Finishing | Feed |
|-----------------------------------|---------------|---------|--------------|---------|
| | Experimental | Control | Experimental | Control |
| Energy Value# | 1.08 | 1.08 | 1.07 | 1.07 |
| Water | 131 | 132 | 130 | 134 |
| Digestible lysine | 8.4 | 8.4 | 7.0 | 7.0 |
| Digestible methionine and cystine | 5.2 | 5.2 | 4.5 | 4.5 |
| Starch | 380 | 380 | 400 | 388 |
| Calcium | 7.3 | 7.3 | 6.3 | 6.3 |
| Phosphorus | 4.8 | 4.8 | 4.1 | 4.1 |
| Digestible phosphorus | 2.9 | 2.9 | 2.1 | 2.1 |
| Sodium | 1.2 | 1.2 | 1.3 | 1.4 |
| Potassium | 9.0 | 9.0 | 8.3 | 9.1 |
| Chlorine | 3.2 | 3.2 | 3.0 | 3.4 |
| Contents per kg | | | | J.7 |
| Crude Protein | 169 | 170 | 150 | 150 |
| Crude fat | 39 | 40 | 41 | 41 |
| Crude fibre | 39 | 40 | 40 | 39 |
| Ash | 50 | 53 | 44 | 53 |

^{5 # -} Unit Energy value = 8.8 MJ net available energy for pigs for production and maintenance

10

<u>TABLE 7</u>

<u>Performance of Experimental Pigs</u>

| | Control Feed | Experimental Feed |
|--------------------------|-----------------|----------------------|
| Number of pigs | 99 | 99 |
| Initial live weight (kg) | 26.2 | 26.29 |
| Final live weight (kg) | 107.4 | 108.2 |
| Growth rate (g/day) | 723 | 738 |
| Feed intake (kg/day) | 1.97 | 1.95 |
| Feed conversion rate | 2.72 | 2.64 |
| Meat percentage | 56.1 | 56.3 |
| Culled pigs | 5 | 2 |

Claims:

15

1. A composition comprising benzoic acid or a derivative of benzoic acid capable of giving rise to free benzoic acid *in vivo* for use as a medicament for animals.

- 2. A composition according to Claim 1 wherein benzoic acid or a derivative thereof capable of giving rise to benzoic acid *in vivo* is administered to the animals as a component of an animal feed composition.
 - 3. A composition according to Claim I wherein benzoic acid and derivatives thereof are administered to the animals as a component of the drinking water fed to the animals.
- 4. A composition according to any one of the preceding Claims wherein derivatives of benzoic acid which can give rise to benzoic acid in vivo are salts of benzoic acid selected from the alkali metal benzoates, alkaline earth metal benzoates and ammonium benzoate.
 - 5. A composition according to any one of the preceding Claims wherein the amount of benzoic acid or a derivative thereof administered to the animal is such that it is sufficient to act as a biocide.
 - 6. A composition according to any one of the preceding Claims wherein the amount of benzoic acid or a derivative thereof is limited to a maximum of about 10% based on the total animal feed composition.
- 20 7. A composition according to any one of the preceding Claims wherein the amount of benzoic acid or a derivative thereof administered to the animal is in the range from 0.001 5% based on the total weight of each feed fed to the animal.
 - 8. A composition according to any one of the preceding Claims wherein the benzoic acid or a derivative thereof is administered to the animal in combination
- 25 with one or more of the following ingredients present in an animal feed

composition (diet): calcium carbonates; electrolytes including *inter alia* ammonium chloride; proteins including *inter alia* soya bean meal, wheat, starch, sunflower meal, corn, meat and bone meal; amino acids; animal fat; vitamins; and trace minerals.

- 5 9. A composition according to Claim 8 wherein the ratio of the electrolyte to the benzoic acid or a derivative thereof in the animal feed composition is in the range from 0.5: 1 to 5: 1 w/w.
 - 10. A formulation for an animal feed composition as shown in the Table below in which all the amounts shown in % by weight:

| Composition | Amounts |
|----------------------------------|---------|
| Meat meal (58% Crude protein) | 3.20 |
| Molasses | 5.00 |
| Wheat | 5.90 |
| Soybean meal (45% Crude protein) | 15.1 |
| Tapioca (66% starch) | 35.5 |
| Wheat middlings | 15 |
| Animal fat | 3.3 |
| Limestone | 0.74 |
| Lysine hydrochloride (98%) | 0.06 |
| Vitamin premix | 0.5 |
| Trace minerals | 0.5 |
| Sunflower meal | 12.2 |
| Ammonium chloride | 2 |
| Ammonium benzoate | 1 |

- 11. A an animal feed composition comprising benzoic acid or a derivative thereof whenever administered as a medicament for animals selected from poultry, pigs and cattle.
- 15 12. A composition according to any one of the preceding Claims wherein benzoic acid is used in a pig feed formulation comprising the components shown in Tables 4 and 8 below:

TABLE 4

| Composition | Weight % |
|-------------------------------|----------|
| Barley | 36.15 |
| Wheat | 30 |
| Peas | 3.5 |
| Rape seed oil meal | 3 |
| Soyabean oil meal (Brazilian) | 17 |
| Wheat middlings | 2.5* |
| Animal fat | 1.9 |
| Limestone | 0.61 |
| Lysine hydrochloride (98%) | 0.18 |
| Vitamin premix | 1 |
| Molasses | 3.4 |
| Methionine | 0.11 |
| Mono-calcium phosphate | 0.4 |
| Salt | 0.25 |

TABLE 8

| Variables | Amounts* |
|----------------------------|----------|
| No. of pigs fed | 33 |
| Starting wt. per pig (Kg) | 23.8 |
| Final wt. per pig (Kg) | 40 |
| Growth per pig per day (g) | 577 |
| Feed conversion | 1.91 |
| Feed intake (Kg) | 1.104 |

^{*0.7%} wt of the wheat middlings in the standard fee replaced by benzoic acid.

Int. tional Application No

PCT/IB 97/01068

| | | | 77 15 377 01000 |
|------------------------------------|---|---|---|
| A. CLASS IPC 6 | A61K31/19 A23K1/16 A23K1 | /18 | _ |
| According | to international Patent Classification(IPC) or to both national clas | sification and IPC | |
| B. FIELDS | SEARCHED | | |
| Minimum d IPC 6 | locumentation searched (classification system followed by classifi A61K A23K | cation symbols) | |
| Documenta | ation searched other than minimum documentation to the extent th | at such documents are included in | the fields searched |
| Electronic o | data base consulted during the international search (name of data | a base and, where practical, search | nterms used) |
| C. DOCUM | ENTS CONSIDERED TO BE RELEVANT | | |
| Category * | Citation of document, with indication, where appropriate, of the | relevant passages | Relevant to claim No. |
| X | DATABASE WPI Section Ch, Week 9502 Derwent Publications Ltd., Lond Class B05, AN 95-011742 | lon, GB; | 1,2,5-8 |
| | XP002046599 & JP 06 298 641 A (TAKEDA CHEM 25 October 1994 see abstract | | |
| Ρ,Χ | & US 5 603 945 A (YOSHIO ISOBE February 1997 see column 2, line 45 - column see column 4, line 6 - line 9 see column 6, line 58 - column | 3, line 57 | 1,2,5-8 |
| | see cording o, True 56 - Cording | -/ | |
| | | | |
| | | | |
| X Furth | ner documents are listed in the continuation of box C. | X Patent family members | s are listed in annex. |
| · | legories of cited documents : int defining the general state of the art which is not | "T" later document published all or priority date and not in o | ter the international filing date conflict with the application but nciple or theory underlying the |
| "E" earlier d tiling da | | invention "X" document of particular releving cannot be considered nove | vance; the claimed invention el or cannot be considered to |
| which is citation "O" docume | nt which may throw doubts on priority claim(s) or s clied to establish the publicationdate of another or other special reason (as specified) int referring to an oral disclosure, use, exhibition or | "Y" document of particular relev cannot be considered to in document is combined with | volve an inventive step when the hone or more other such docu- |
| | neans nt published prior to the international filing date but an the priority date claimed | ments, such combination to in the art. "&" document member of the sa | eing obvious to a person skilled ume patent family |
| | actual completion of theinternational search | Date of mailing of the intern | ational search report |
| | 2 November 1997 naking address of the ISA | 21/11/1997 Authorized officer | |
| TENTE CITE III | European Patent Office, P.B. 5818 Patentiaan 2 NL – 2280 HV Rijswijk Tel: (+31-70) 340-2016 Fax: (+31-70) 340-3016 | Dekeirel, M | |
| | . , | 4 | |

inte ...ional Application No PCT/IB 97/01068

| | | PC1/1B 9//01008 |
|-------------|--|-----------------------|
| C.(Continue | ation) DOCUMENTS CONSIDERED TO BE RELEVANT | |
| Category * | Citation of document, with indication, where appropriate, of the relevant passages | Relevant to claim No. |
| X | EP 0 683 985 A (VERDUGT BV) 29 November 1995 cited in the application see example 2 see claims 1-10 | 10-12 |
| X | WO 96 24248 A (KEMIRA CHEMICALS OY; AHLNAES THOMAS (FI); MUELLER ARTHUR (SE); MAL) 15 August 1996 see page 1, line 4 - page 2, line 30 see page 3, line 10 - line 18 see page 3, line 35 - page 4, line 5 see page 7, line 21 - line 27 see claims 1,9,23-25 | 1,2,5,8 |
| X | WO 96 24247 A (KEMIRA CHEMICALS OY; AHLNAES THOMAS (FI); LUHTALA JARMO (FI); LOEF) 15 August 1996 see page 1, line 1 - page 6, line 21 see page 10, line 20 - page 11, line 6 see examples 1-10 see claims 1,2,19- | 1,2,5,8 |
| X | GB 2 008 381 A (BASF AG) 6 June 1979 see page 3, line 49 - line 55 see claims 1,2,4 | 1,2,4,5 |
| A | WO 93 16611 A (KEMIRA OY) 2 September 1993 see page 2, line 33 - page 3, line 23 see page 4, line 4 - line 5 see claim 1 | 1-5 |
| A | DATABASE WPI Section Ch, Week 9543 Derwent Publications Ltd., London, GB; Class B05, AN 95-332478 XP002046600 & JP 07 228 533 A (KIMURA H), 29 August 1995 see abstract | 1 |
| A | GB 1 535 233 A (PLATE KOFASIL GMBH) 13 December 1978 see examples 1-4 see claims 1,7 | 1-5 |
| A | GB 2 109 217 A (NITROKEMIA IPARTELEPEK;KERTESZETI EGYETEM) 2 June 1983 see claim 4 | 1 |
| | | |

Information on patent family members

Inte ..lonal Application No
PCT/IB 97/01068

| | | | |
|--|------------------|---|--|
| Patent document cited in search report | Publication date | Patent family member(s) | Publication date |
| EP 0683985 A | 29-11-95 | JP 8149955 A US 5562916 A | 11-06-96 08-10-96 |
| WO 9624248 A | 15-08-96 | FI 950512 A AU 4542196 A AU 4542296 A WO 9624247 A NO 973575 A | 07-08-96 27-08-96 27-08-96 15-08-96 04-08-97 |
| WO 9624247 A | 15-08-96 | FI 950512 A AU 4542196 A AU 4542296 A WO 9624248 A NO 973575 A | 04-08-97 07-08-96 27-08-96 27-08-96 15-08-96 04-08-97 |
| GB 2008381 A | 06-06-79 | DE 2751768 A CS 207691 B DK 512478 A FR 2409014 A NL 7811253 A SE 7811754 A | 23-05-79 31-08-81 20-05-79 15-06-79 22-05-79 20-05-79 |
| WO 9316611 A | 02-09-93 | FI 95195 B AU 3502193 A DE 69312688 D EP 0626812 A LT 706 A,B LV 10563 B MD 940026 A NO 943168 A | 29-09-95 13-09-93 04-09-97 07-12-94 31-01-95 20-02-96 30-06-95 26-08-94 |
| GB 1535233 A | 13-12-78 | DE 2507067 A AT 344496 B CH 621466 A FR 2301181 A JP 1104505 C JP 51114270 A JP 56050543 B US 4073889 A | 02-09-76 25-07-78 13-02-81 17-09-76 16-07-82 07-10-76 30-11-81 14-02-78 |

Information on patent family members

PCT/IB 97/01068

| Patent document cited in search report | Publication date | Patent family member(s) | Publication date |
|--|---------------------|----------------------------|------------------|
| GB 2109217 A | 02-06-83 | AR 231488 A | 28-12-84 |
| | | AT 376552 B | 10-12-84 |
| | | AU 548586 B | 19-12-85 |
| | | AU 8670382 A | 10-02-83 |
| | | BE 893969 A | 31-01-83 |
| | | CA 1192432 A | 27-08-85 |
| | | CH 654176 A | 14-02-86 |
| | | CS 253570 B | 12-11-87 |
| | | DE 3229109 A | 24-02-83 |
| | | DK 350082 A | 05-02-83 |
| | | FR 2510875 A | 11-02-83 |
| | | JP 58076050 A | 09-05-83 |
| | | KE 3557 A | 27-09-85 |
| | | NL 8203082 A | 01-03-83 |
| | | SE 8204560 A | 03-08-82 |
| | | SU 1535368 A | 07-01-90 |
| | | US 4482550 A | 13-11-84 |

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

□ BLACK BORDERS
□ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
□ FADED TEXT OR DRAWING
□ BLURRED OR ILLEGIBLE TEXT OR DRAWING
□ SKEWED/SLANTED IMAGES
□ COLOR OR BLACK AND WHITE PHOTOGRAPHS
□ GRAY SCALE DOCUMENTS
□ LINES OR MARKS ON ORIGINAL DOCUMENT
□ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

IMAGES ARE BEST AVAILABLE COPY.

U OTHER:

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.